

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 06-Apr-2017

Print date: 07-Apr-2017



Page 1/10

## Mabanol Radon Gear ATF VI

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

Mabanol Radon Gear ATF VI

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Industrial uses

#### 1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Mabanol GmbH & Co. KG

Koreastraße 7

20457 Hamburg

Germany

Telephone: 0049 (0) 40 36809988

E-mail: info@mabanol.com

Website: www.mabanol.com

#### 1.4. Emergency telephone number

Giftinformationszentrale Göttingen , 24h: 0049 (0) 551 1 92 40

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]:

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard statements: -

##### Supplemental Hazard information (EU)

EUH208	Contains Alkoxyated long-chain alkyl amine. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Precautionary statements: -

#### 2.3. Other hazards

Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. This mixture contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 06-Apr-2017

Print date: 07-Apr-2017



Page 2/10

## Mabanol Radon Gear ATF VI

### SECTION 3: Composition / information on ingredients

#### 3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 64742-55-8 EC No.: 265-158-7 REACH No.: 01-2119487077-29	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	35 - < 40 Wt %
	Methacrylate copolymer	1 - < 5 Wt %
CAS No.: 18760-44-6 EC No.: 242-556-9	3-(decyloxy)tetrahydrothiophene 1,1-dioxide Aquatic Chronic 2 H411	1 - < 5 Wt %

Full text of H- and EUH-phrases: see section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

##### Following inhalation:

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

##### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. In case of skin irritation, consult a physician.

##### After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water. In case of skin irritation, consult a physician.

##### After ingestion:

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunk in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in case of vomiting, danger of entering the lungs.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media:

Sand. Foam. Carbon dioxide (CO<sub>2</sub>). In case of major fire and large quantities: Water spray jet. Water mist.

##### Unsuitable extinguishing media:

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

##### Hazardous combustion products:

Burning produces heavy smoke.

In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Sulphur dioxide (SO<sub>2</sub>).

Nitrogen oxides (NO<sub>x</sub>).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 06-Apr-2017

Print date: 07-Apr-2017



Page 3/10

## Mabanol Radon Gear ATF VI

### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Wear a self-contained breathing apparatus and chemical protective clothing.

### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### Personal precautions:

Wear personal protection equipment (refer to section 8). Ventilate affected area. Special danger of slipping by leaking/spilling product.

#### 6.1.2. For emergency responders

##### Personal protection equipment:

Personal protection equipment: see section 8. Oil-resistant and hardly inflammable protective clothing.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

### 6.3. Methods and material for containment and cleaning up

##### For containment:

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

No information available.

### 6.5. Additional information

No data available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Protective measures

##### Advices on safe handling:

Wear personal protection equipment (refer to section 8). Avoid the formation of oil haze.

##### Fire prevent measures:

Usual measures for fire prevention. Keep away from sources of ignition - No smoking. Fire class B (Fires of liquids or liquid turning substances).

##### Measures to prevent aerosol and dust generation:

Do not breathe vapour/aerosol.

##### Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin. Clean skin thoroughly after working. Do not put any product-impregnated cleaning rags into your trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

##### Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

##### Hints on storage assembly:

Do not store together with: Gases. Explosives. Infectious substances. Oxidizing liquids. Radioactive substances. Infectious substances.

**Storage class:** 10 - Combustible liquids that cannot be assigned to any of the above storage classes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 06-Apr-2017

Print date: 07-Apr-2017



Page 4/10

## Mabanol Radon Gear ATF VI

### Further information on storage conditions:

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

### 7.3. Specific end use(s)

No data available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

No data available

#### 8.1.2. Biological limit values

No data available

#### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic CAS No.: 64742-55-8	5.4 mg/m <sup>3</sup>	① DNEL worker ② DNEL long-term inhalative (systemic)

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Provide adequate ventilation.

#### 8.2.2. Personal protection equipment



#### Eye/face protection:

Safety goggles with side protection. In case of increased risk add protective face shield. DIN EN 166

#### Skin protection:

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 347/EN 388. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Respiratory protection:

With correct and proper use, and under normal conditions, breathing protection is not required. Respiratory protection necessary at: aerosol or mist formation. exceeding exposure limit values. Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

#### 8.2.3. Environmental exposure controls

No data available

### 8.3. Additional information

air limit values:

Possibility of exposure to Aerosols

Limit value = 5 mg/m<sup>3</sup> - Source: ACGIH

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 06-Apr-2017

Print date: 07-Apr-2017



Page 5/10

## Mabanol Radon Gear ATF VI

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

##### Appearance

Physical state: liquid

Colour: red

Odour: not determined

##### Safety relevant basis data

parameter		at °C	Method	Remark
pH	<i>not determined</i>			
Melting point	<i>not determined</i>			
Freezing point	<i>not determined</i>			
Initial boiling point and boiling range	<i>not determined</i>			
Decomposition temperature (°C):	<i>not determined</i>			
Flash point	208 °C		COC	
Evaporation rate	<i>not determined</i>			
Ignition temperature in °C	<i>not determined</i>			
Upper/lower flammability or explosive limits	<i>not determined</i>			
Vapour pressure	<i>not determined</i>			
Vapour density	<i>not determined</i>			
Relative density	0.8454 g/cm <sup>3</sup>	15 °C	DIN 51757	
Bulk density	<i>not determined</i>			
Water solubility (g/L)	<i>not determined</i>			
Partition coefficient: n-octanol/ water	<i>not determined</i>			
Dynamic viscosity	<i>not determined</i>			
Kinematic viscosity	27.62 mm <sup>2</sup> /s	40 °C	DIN EN ISO 31 04	

#### 9.2. Other information

No data available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

Stable at ambient temperature.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

No information available.

#### 10.5. Incompatible materials

Oxidising agent, strong

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 06-Apr-2017

Print date: 07-Apr-2017



Page 6/10

## Mabanol Radon Gear ATF VI

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

CAS No.	Substance name	Toxicological information
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	<b>LD<sub>50</sub> oral:</b> >5,000 mg/kg (Rat) <b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rabbit) <b>LC<sub>50</sub> inhalative:</b> >5.53 mg/l (Rat)
18760-44-6	3-(decyloxy)tetrahydrothiophene 1,1-dioxide	<b>LD<sub>50</sub> oral:</b> >10,000 mg/kg (Rat) <b>LD<sub>50</sub> dermal:</b> >8,000 mg/kg (Rabbit)

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Frequent contact specially if dried out may cause skin and eye irritations.

#### Eye damage/irritation:

Based on available data, the classification criteria are not met.

Frequent contact specially if dried out may cause skin and eye irritations.

#### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

May cause sensitisation especially in sensitive humans.

#### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### Carcinogenicity:

Based on available data, the classification criteria are not met.

#### Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### STOT-single exposure:

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### Aspiration hazard:

Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

#### 12.1. Toxicity

CAS No.	Substance name	Toxicological information
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydrotreated light paraffinic	<b>LC<sub>50</sub>:</b> >100 mg/l 4 d (Pimephales promelas (fath ead minnow)) <b>EC<sub>50</sub>:</b> >10,000 mg/l 2 d (Daphnia magna (Big water flea)) <b>NOEC:</b> >100 mg/l (Pseudokirchneriella subcapitata) <b>NOEC:</b> >10 mg/l 21 d (Daphnia magna (Big water flea))

#### 12.2. Persistence and degradability

##### Additional information:

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 06-Apr-2017

Print date: 07-Apr-2017



Page 7/10

## Mabanolo Radon Gear ATF VI

### 12.3. Bioaccumulative potential

CAS No.	Substance name	Log K <sub>OC</sub>	Bioconcentration factor (BCF)
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydro treated light paraffinic	3.5	

#### Bioconcentration factor (BCF):

No indication of bioaccumulation potential.

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

CAS No.	Substance name	Results of PBT and vPvB assessment
64742-55-8	Baseoil - unspecified, Distillates (petroleum), hydro treated light paraffinic	—
	Methacrylate copolymer	—
18760-44-6	3-(decyloxy)tetrahydrothiophene 1,1-dioxide	—

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### 13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

#### Waste code packaging:

15 01 10	packaging containing residues of or contaminated by dangerous substances
----------	--------------------------------------------------------------------------

#### Remark:

Non-contaminated packages may be recycled.

### Waste treatment options

#### Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

#### Appropriate disposal / Package:

Handle contaminated packages in the same way as the substance itself.

### 13.2. Additional information

No data available

## SECTION 14: Transport information

No dangerous good in sense of these transport regulations.

<b>14.1. UN-No.</b>	not relevant
<b>14.2. UN proper shipping name</b>	not relevant
<b>14.3. Transport hazard class(es)</b>	not relevant
<b>14.4. Packing group</b>	not relevant

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 06-Apr-2017

Print date: 07-Apr-2017



Page 8/10

## Mabanol Radon Gear ATF VI

### 14.5. Environmental hazards

not relevant

### 14.6. Special precautions for user

not relevant

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not relevant

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

##### Other regulations (EU):

Use restriction according to REACH annex XVII, no.: Entry 28: Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic

Is not subject to the Seveso III Directive

Observe in addition any national regulations!

#### 15.1.2. National regulations

##### [DE] National regulations

##### Störfallverordnung

##### Remark:

Not subject to StörfallVO.

##### Water hazard class (WGK)

##### WGK:

2 - deutlich wassergefährdend

##### Remark:

Appendix 3, No. 4 (WGK), according to VwVwS

### 15.2. Chemical Safety Assessment

not applicable

### 15.3. Additional information

No data available

## SECTION 16: Other information

### 16.1. Indication of changes

No data available



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 06-Apr-2017

Print date: 07-Apr-2017



Page 9/10

## Mabanol Radon Gear ATF VI

### 16.2. Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (International Carriage of Dangerous Goods by Road)

CAS Chemical Abstracts Service

DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Concerning the International Transport of Dangerous Goods by Rail)

PNEC: predicted no effect concentration

PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern

TRGS Technische Regeln für Gefahrstoffe

TSCA: Toxic Substances Control Act

VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

### 16.3. Key literature references and sources for data

No data available

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

#### Classification according to Regulation (EC) No 1272/2008 [CLP]:

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

### 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

#### Hazard statements

H411	Toxic to aquatic life with long lasting effects.
------	--------------------------------------------------

### 16.6. Training advice

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

**Revision date:** 06-Apr-2017

**Print date:** 07-Apr-2017



Page 10/10

## Mabanol Radon Gear ATF VI

### 16.7. Additional information

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.