

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Mabanol Radon Gear GL4 75W-90

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/mixture**

gear oil

**Uses advised against**

none

**1.3. Details of the supplier of the safety data sheet**

Company name: Mabanol GmbH & Co. KG  
Street: Admiralitätstraße 55  
Place: D-20459 Hamburg  
**Responsible Department:**  
Telephone: +49 (0) 40 36809988

**1.4. Emergency telephone:** Giftinformationszentrale Göttingen  
Telephone: 0551/1 92 40

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification according to Directive 67/548/EEC or 1999/45/EC**

This mixture is not classified as hazardous according to Directive 1999/45/EC.

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

This mixture is not classified as hazardous according to Regulation (EC) No. 1272/2008.

**Hazard Overview**

Physical hazards: No risks worthy of mention.

health hazards: May cause sensitisation especially in sensitive humans.

Environmental hazards: No risks worthy of mention.

**2.2. Label elements**

**Special labelling of certain mixtures**

EUH208 Contains methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate; methyl methacrylate. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

**2.3. Other hazards**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

This mixture contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

### Hazardous components

| EC No            | Chemical name  | Quantity    |
|------------------|--|-------------|
| CAS No           | Classification according to Directive 67/548/EEC                                 |             |
| Index No         | Classification according to Regulation (EC) No. 1272/2008 [CLP]                  |             |
| REACH No         |  |             |
| 265-159-2        | Baseoil - unspecified, Distillates (petroleum), solvent-dewaxed light paraffinic | 65 - < 70 % |
| 64742-56-9       | Xn - Harmful R65   |             |
| 649-469-00-9     | Asp. Tox. 1; H304  |             |
| 01-2119480132-48 |  |             |
| 500-183-1        | Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated          | 10 - < 15 % |
| 68037-01-4       | Xn - Harmful R65   |             |
|                  | Asp. Tox. 1; H304  |             |
| 01-2119486452-34 |  |             |
|                  | Mineral Oil*   | 5 - < 10 %  |
|                  | Xn - Harmful R65   |             |
|                  | Asp. Tox. 1; H304  |             |

Full text of R-, H- and EUH-phrases: see section 16.

#### Further Information

\* The mineral oils contained can be described by one or more of the following numbers:

EC-no.: 265-157-1, 265-169-7, 265-158-7, 265-159-2, 265-090-8, 276-738-4

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, consult a physician.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of entering the lungs.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Sand. Foam. Carbon dioxide (CO<sub>2</sub>). Extinguishing powder. In case of major fire and large quantities:  
Water spray jet. Water mist.

#### **Unsuitable extinguishing media**

Full water jet

### **5.2. Special hazards arising from the substance or mixture**

Burning produces heavy smoke.

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>) Sulphur dioxide (SO<sub>2</sub>)  
Nitrogen oxides (NO<sub>x</sub>)

### **5.3. Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Wear a self-contained breathing apparatus and chemical protective clothing.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Co-ordinate fire-fighting measures to the fire surroundings.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment (refer to section 8).  
Ventilate affected area.  
Special danger of slipping by leaking/spilling product.

### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

### **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).  
Treat the recovered material as prescribed in the section on waste disposal.  
Clean contaminated objects and areas thoroughly observing environmental regulations.

### **6.4. Reference to other sections**

No information available.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

#### **Advice on safe handling**

Wear suitable protective clothing. ( See section 8. )  
Avoid formation of oil dust.

#### **Advice on protection against fire and explosion**

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.  
Fire class B

#### **Further information on handling**

Do not breathe vapour/aerosol.  
Avoid contact with skin and eyes.  
Advices on general occupational hygiene: See section 8.

### **7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

**Advice on storage compatibility**

Do not store together with: Gas. Explosives. . Oxidizing liquids. Radioactive substances. Infectious substances

**Further information on storage conditions**

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

**7.3. Specific end use(s)**

refer to chapter 1.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Additional advice on limit values**

air limit values:  
Possibility of exposure to Aerosol  
Limit value = 5 mg/ m3 - Source: ACGIH

**8.2. Exposure controls**



**Appropriate engineering controls**

Provide adequate ventilation.

**Protective and hygiene measures**

Clean skin thoroughly after working.  
Do not put any product-impregnated cleaning rags into your trouser pockets.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before reuse.

**Eye/face protection**

Safety goggles with side protection. In case of increased risk add protective face shield. DIN EN 166

**Hand protection**

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 388.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Skin protection**

Oil-resistant and hardly inflammable protective clothing.

**Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- aerosol or mist formation
- exceeding exposure limit values

Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.

The filter class must be suitable for the maximum contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

### Environmental exposure controls

No information available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: liquid  
 Colour: clear  
 Odour: -

#### Test method

pH-Value: No information available.

#### Changes in the physical state

Melting point: No information available.  
 Initial boiling point and boiling range: No information available.  
 Sublimation point: No information available.  
 Softening point: No information available.  
 Pour point: -48 °C ASTM D 5985  
 Flash point: 210 °C DIN ISO 2592  
 Sustaining combustion: No data available

#### Flammability

Solid: No information available.  
 Gas: No information available.

#### Explosive properties

none

Lower explosion limits: No information available.  
 Upper explosion limits: No information available.  
 Ignition temperature: No information available.

#### Auto-ignition temperature

Solid: No information available.  
 Gas: No information available.

Decomposition temperature: No information available.

#### Oxidizing properties

none

Vapour pressure: (at 20 °C) No information available.

Vapour pressure: (at 50 °C) No information available.

Density (at 15 °C): 0,877 g/cm<sup>3</sup> DIN 51757

Bulk density: No information available.

Water solubility: No information available.

#### Solubility in other solvents

No information available.

Partition coefficient: No information available.

Viscosity / dynamic: No information available.

|                                      |   |
|--------------------------------------|---|
| Viscosity / kinematic:<br>(at 40 °C) | 75,8 mm <sup>2</sup> /s DIN EN ISO 3104 |
| Flow time:                           | No information available.               |
| Vapour density:                      | No information available.               |
| Evaporation rate:                    | No information available.               |
| Solvent separation test:             | No information available.               |
| Solvent content:                     | No information available.               |

### 9.2. Other information

|                |                           |
|----------------|---------------------------|
| Solid content: | No information available. |
|----------------|---------------------------|

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

Stable at ambient temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reactions known.

### 10.4. Conditions to avoid

No information available.

### 10.5. Incompatible materials

Oxidising agent, strong

### 10.6. Hazardous decomposition products

No hazardous decomposition products known.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Toxicokinetics, metabolism and distribution

No information available.

#### Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No     | Chemical name  |        |             |                 |              |
|------------|--|--------|-------------|-----------------|--------------|
|            | Exposure routes  | Method | Dose        | Species         | Source       |
| 64742-56-9 | Baseoil - unspecified, Distillates (petroleum), solvent-dewaxed light paraffinic |        |             |                 |              |
|            | oral   | LD50   | >5000 mg/kg | Rat.            | ECHA Dossier |
|            | dermal   | LD50   | >5000 mg/kg | Rabbit.         | ECHA Dossier |
|            | inhalative (4 h) aerosol   | LC50   | >5,53 mg/l  | Rat.            | ECHA Dossier |
| 68037-01-4 | Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated          |        |             |                 |              |
|            | oral   | LD50   | >5000 mg/kg | Rat.            | ECHA Dossier |
|            | dermal   | LD50   | >2000 mg/kg | Rat.            | ECHA Dossier |
|            | inhalative (4 h) aerosol   | LC50   | >5,2 mg/l   | Rat. (OECD 403) | ECHA Dossier |

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.  
May cause sensitisation especially in sensitive humans.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**Severe effects after repeated or prolonged exposure**

Based on available data, the classification criteria are not met.  
Baseoil - unspecified, Distillates (petroleum), solvent-dewaxed light paraffinic:  
Subchronic oral toxicity:  
Exposure time: 90d  
Species: Sprague-Dawley Rat.  
Method: OECD Guideline 408  
Result: LOAEL = 125 mg/kg  
literature information: ECHA Dossier

Subacute inhalative toxicity :  
Exposure time: 28d  
Species: Sprague-Dawley Rat.  
Result: NOAEC > 980 mg/m<sup>3</sup>  
literature information: ECHA Dossier

Subacute dermal toxicity :  
Exposure time: 28d  
Species: Rabbit  
Method: OECD Guideline 410  
Result: NOAEL 1000 mg/kg  
literature information: ECHA Dossier

Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated:  
Subchronic oral toxicity:  
Method: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Species: Rat  
Results: NOAEL 1000 mg/kg  
literature information: ECHA Dossier

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

Baseoil - unspecified, Distillates (petroleum), solvent-dewaxed light paraffinic:

In vitro mutagenicity/genotoxicity:

Method:

-OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

-OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

-OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Result: = negative.

Chronic dermal toxicity :

Exposure time: ~546 d

Species: Mouse.

Method: OECD Guideline 451

Result: Carcinogenicity = negative.

literature information: ECHA Dossier

Reproductive toxicity: :

Exposure route: oral.

Species: Rat.

Method: OECD Guideline 421

Result: NOAEL >1000 mg/kg

literature information: ECHA Dossier

Developmental toxicity/teratogenicity :

Exposure route: dermal.

Species: Rat.

Method: OECD Guideline 414

Result: NOAEL >2000 mg/kg

literature information: ECHA Dossier

Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated:

In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Result: negative.

literature information: ECHA Dossier

Reproductive toxicity:

Species: Rat

Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)

Results: NOAEL > 1000 mg/kg

literature information: ECHA Dossier

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Practical experience**

**Other observations**

Frequent contact specially if dried out may cause skin and eye irritations.

**SECTION 12: Ecological information**



#### 12.1. Toxicity

| CAS No     | Chemical name  |        |             |           |                                |              |
|------------|--|--------|-------------|-----------|--------------------------------|--------------|
|            | Aquatic toxicity   | Method | Dose        | [h]   [d] | Species                        | Source       |
| 64742-56-9 | Baseoil - unspecified, Distillates (petroleum), solvent-dewaxed light paraffinic |        |             |           |                                |              |
|            | Acute fish toxicity  | LC50   | >100 mg/l   | 96 h      | Pimephales promelas            | ECHA Dossier |
|            | Acute algae toxicity   | ErC50  | >100 mg/l   | 72 h      | Pseudokirchnerella subcapitata | ECHA Dossier |
|            | Acute crustacea toxicity   | EC50   | >10000 mg/l | 48 h      | Daphnia magna                  | ECHA Dossier |
|            | Crustacea toxicity   | NOEC   | 10 mg/l     | 21 d      | Daphnia magna                  | ECHA Dossier |
| 68037-01-4 | Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated          |        |             |           |                                |              |
|            | Acute fish toxicity  | LC50   | >750 mg/l   | 96 h      | Pimephales promelas            | MSDS extern  |
|            | Acute crustacea toxicity   | EC50   | 190 mg/l    | 48 h      | Daphnia magna                  | MSDS extern  |

#### 12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

| CAS No     | Chemical name  |       |    |              |  |
|------------|--|-------|----|--------------|--|
|            | Method   | Value | d  | Source       |  |
|            | Evaluation   |       |    |              |  |
| 64742-56-9 | Baseoil - unspecified, Distillates (petroleum), solvent-dewaxed light paraffinic |       |    |              |  |
|            | OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C                                  | 2-4%  | 28 | ECHA Dossier |  |
|            | Not easily bio-degradable (according to OECD-criteria).                          |       |    |              |  |
| 68037-01-4 | Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated          |       |    |              |  |
|            | OECD 301D / EEC 92/69 annex V, C.4-E   | 2 %   | 28 | ECHA Dossier |  |
|            | Product is not easily biodegradable.   |       |    |              |  |

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

##### Partition coefficient n-octanol/water

| CAS No     | Chemical name   | Log Pow |
|------------|---|---------|
| 68037-01-4 | Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated | >6,5    |

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

No information available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Advice on disposal

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

##### Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances Classified as hazardous waste.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

- 14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Inland waterways transport (ADN)**

- 14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)**

- 14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Air transport (ICAO)**

- 14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**14.6. Special precautions for user**

Informations for safe handling see chapter 7.  
Informations for personal protective equipment see chapter 8.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

not relevant

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

- 2010/75/EU (VOC): No information available.  
2004/42/EC (VOC): No information available.

**Additional information**

Not subject to 96/82/EC  
Observe in addition any national regulations!

**National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating

**Additional information**

none

**SECTION 16: Other information**

**Changes**

Rev. : 1,0 - 28.04.2015

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
CAS Chemical Abstracts Service  
DNEL: Derived No Effect Level  
IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER  
International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organization  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)  
LOAEL: Lowest observed adverse effect level  
LOAEC: Lowest observed adverse effect concentration  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
NOAEL: No observed adverse effect level  
NOAEC: No observed adverse effect level  
NTP: National Toxicology Program  
N/A: not applicable  
OSHA: Concerning the International Transport of Dangerous Goods by Rail )  
PNEC: predicted no effect concentration  
PBT: Persistent bioaccumulative toxic  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )  
SARA: Superfund Amendments and Reauthorization Act  
SVHC: substance of very high concern  
TRGS Technische Regeln für Gefahrstoffe  
TSCA: Toxic Substances Control Act  
VOC: Volatile Organic Compounds  
VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe  
WGK: Wassergefährdungsklasse

**Relevant R-phrases (Number and full text)**

65 Harmful: may cause lung damage if swallowed.

**Relevant H- and EUH-phrases (Number and full text)**

H304 May be fatal if swallowed and enters airways.  
EUH208 Contains methyl 2-methylprop-2-enoate; methyl 2-methylpropenoate; methyl methacrylate. May produce an allergic reaction.  
EUH210 Safety data sheet available on request.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

## EG-Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Mabanol Radon Gear GL4 75W-90**

Page 12 von 12

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*