

**Mabanol Xenon Alpha C4 5W-30**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Mabanol Xenon Alpha C4 5W-30

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/mixture**

motor oil

**Uses advised against**

No information available.

**1.3. Details of the supplier of the safety data sheet**

Company name: Mabanol GmbH & Co. KG  
Street: Admiralitätstraße 55  
Place: D-20459 Hamburg  
**Responsible Department:**  
Telephone: +49 (0) 40 36809988

**1.4. Emergency telephone:** Giftinformationszentrale Göttingen  
Telephone: 0551/1 92 40

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification according to Directive 67/548/EEC or 1999/45/EC**

R phrases:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful to aquatic life with long lasting effects.

**Hazard Overview**

Physical hazards: No risks worthy of mention.

health hazards: May cause sensitisation especially in sensitive humans.

Environmental hazards: Harmful to aquatic life with long lasting effects.

**2.2. Label elements**

**Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P273 Avoid release to the environment.

P501 Dispose of waste according to applicable legislation.

**Special labelling of certain mixtures**

EUH208 Contains N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine. May produce an allergic reaction.

**2.3. Other hazards**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

This mixture contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Hazardous components**

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
265-157-1	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic	35 - < 40 %
64742-54-7	Xn - Harmful R65	
649-467-00-8	Asp. Tox. 1; H304	
01-2119484627-25		
	Mineral oil*	1 - < 5 %
	Xn - Harmful R65	
	Asp. Tox. 1; H304	
253-249-4	Bis(nonylphenyl)amine	1 - < 5 %
36878-20-3	R53	
	Aquatic Chronic 4; H413	
01-2119488911-28		
218-679-9	zinc O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)	< 1 %
2215-35-2	Xi - Irritant, N - Dangerous for the environment R38-41-51-53	
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 2; H315 H318 H411	
01-2119953275-34		
283-392-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zins salts	< 1 %
84605-29-8	Xi - Irritant, N - Dangerous for the environment R38-41-51-53	
	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 2; H315 H318 H411	
01-2119493626-26		
310-154-3	Phenol, dodecyl-, branched	< 1 %
121158-58-5	Repr. Cat. 3, Xi - Irritant, N - Dangerous for the environment R62-36/38-50-53	
	Repr. 2, Skin Irrit. 2, Eye Irrit. 2, Aquatic Acute 1 (M-Factor = 1), Aquatic Chronic 1 (M-Factor = 10); H361 H315 H319 H400 H410	
01-2119513207-49		
204-539-4	diphenylamine	< 1 %
122-39-4	T - Toxic, N - Dangerous for the environment R23/24/25-33-50-53	
612-026-00-5	Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT RE 2, Aquatic Acute 1 (M-Factor = 1), Aquatic Chronic 1 (M-Factor = 1); H301 H311 H331 H373 H400 H410	
401-280-0	N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine	< 1 %
91273-04-0	C - Corrosive, N - Dangerous for the environment R34-43-51-53	
613-072-00-9	Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1, Aquatic Chronic 2; H314 H318 H317 H411	

Full text of R-, H- and EUH-phrases: see section 16.

**Further Information**

\* The mineral oils contained can be described by one or more of the following numbers:

EC-no.: 265-157-1, 265-169-7, 265-158-7, 265-159-2

REACH-no.: 01-2119484627-25, 01-2119471299-27, 01-2119487077-29, 01-2119480132-48

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in

**Mabanol Xenon Alpha C4 5W-30**

unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

**After inhalation**

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, consult a physician.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

**After ingestion**

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

**4.2. Most important symptoms and effects, both acute and delayed**

If swallowed or in the event of vomiting, risk of entering the lungs.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Sand. Foam. Carbon dioxide (CO<sub>2</sub>). Extinguishing powder. In case of major fire and large quantities: Water spray jet. Water mist.

**Unsuitable extinguishing media**

Full water jet

**5.2. Special hazards arising from the substance or mixture**

Burning produces heavy smoke.

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>) Sulphur dioxide (SO<sub>2</sub>)

Nitrogen oxides (NO<sub>x</sub>)

**5.3. Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Wear a self-contained breathing apparatus and chemical protective clothing.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Co-ordinate fire-fighting measures to the fire surroundings.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment (refer to section 8).

Ventilate affected area.

### Mabanol Xenon Alpha C4 5W-30

Special danger of slipping by leaking/spilling product.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil. If required, notify relevant authorities according to all applicable regulations.

#### **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).  
Treat the recovered material as prescribed in the section on waste disposal.  
Clean contaminated objects and areas thoroughly observing environmental regulations.

#### **6.4. Reference to other sections**

No information available.

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Wear suitable protective clothing. ( See section 8. )  
Avoid formation of oil dust.

##### **Advice on protection against fire and explosion**

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.  
Fire class B

##### **Further information on handling**

Do not breathe vapour/aerosol.  
Avoid contact with skin and eyes.  
Advices on general occupational hygiene: See section 8.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product.

##### **Advice on storage compatibility**

Do not store together with: Gas. Explosives. Radioactive substances. Infectious substances

##### **Further information on storage conditions**

Temperature control required. Protect from light. Keep container tightly closed. Do not allow contact with air.

#### **7.3. Specific end use(s)**

refer to chapter 1.

### **SECTION 8: Exposure controls/personal protection**

#### **8.1. Control parameters**

##### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
122-39-4	Diphenylamine	-	10		TWA (8 h)	WEL
		-	20		STEL (15 min)	WEL

#### PNEC values

CAS No	Substance	Value
Environmental compartment		
121158-58-5	Phenol, dodecyl-, branched	
Freshwater		0,000074 mg/l
Soil		0,118 mg/kg
Marine water		0,0000074 mg/l
Freshwater sediment		0,226 mg/kg
Marine sediment		0,026 mg/kg

#### Additional advice on limit values

air limit values:  
Possibility of exposure to Aerosol  
Limit value = 5 mg/ m3 - Source: ACGIH

#### 8.2. Exposure controls



#### Appropriate engineering controls

Provide adequate ventilation.

#### Protective and hygiene measures

Clean skin thoroughly after working.  
Do not put any product-impregnated cleaning rags into your trouser pockets.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before reuse.

#### Eye/face protection

Safety goggles with side protection. In case of increased risk add protective face shield. DIN EN 166

#### Hand protection

Use safety gloves of following materials: NBR (nitrile) / neopren / viton (permeationslevel 5 - 6), Cat. II according to norm EN 388.  
The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.  
For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Oil-resistant and hardly inflammable protective clothing.

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.  
Respiratory protection necessary at:  
-aerosol or mist formation  
-exceeding exposure limit values  
Suitable respiratory protection apparatus: Respiratory equipment in case of nebulosity or aerosol: Use a mask with a filter type A2, A2/P2 or ABEK.  
The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

#### Environmental exposure controls

No information available.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state: liquid  
 Colour: clear  
 Odour: characteristic

#### Test method

pH-Value: No information available.

#### Changes in the physical state

Melting point: No information available.  
 Initial boiling point and boiling range: No information available.  
 Sublimation point: No information available.  
 Softening point: No information available.  
 Pour point: -42 °C ISO 3016  
 Flash point: 232 °C DIN ISO 2592  
 Sustaining combustion: No data available

#### Flammability

Solid: No information available.  
 Gas: No information available.

#### Explosive properties

none

Lower explosion limits: No information available.  
 Upper explosion limits: No information available.  
 Ignition temperature: No information available.

#### Auto-ignition temperature

Solid: No information available.  
 Gas: No information available.

Decomposition temperature: No information available.

#### Oxidizing properties

none

Vapour pressure: No information available.  
 (at 20 °C)  
 Vapour pressure: No information available.  
 (at 50 °C)

Density (at 15 °C): 0,851 g/cm<sup>3</sup> DIN 51757

Bulk density: No information available.

Water solubility: No information available.

#### Solubility in other solvents

No information available.

Partition coefficient: No information available.

Viscosity / dynamic: No information available.

Viscosity / kinematic: 69,2 mm<sup>2</sup>/s DIN EN ISO 3104  
 (at 40 °C)

Flow time: No information available.

Vapour density: No information available.

**Mabanol Xenon Alpha C4 5W-30**

Evaporation rate:	No information available.
Solvent separation test:	No information available.
Solvent content:	No information available.

**9.2. Other information**

Solid content:	No information available.
----------------	---------------------------

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No information available.

**10.2. Chemical stability**

Stable at ambient temperature.

**10.3. Possibility of hazardous reactions**

No hazardous reactions known.

**10.4. Conditions to avoid**

No information available.

**10.5. Incompatible materials**

Oxidising agent, strong

**10.6. Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

**Toxicokinetics, metabolism and distribution**

No information available.

**Acute toxicity**

Based on available data, the classification criteria are not met.

### Mabanol Xenon Alpha C4 5W-30

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
64742-54-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic				
	oral	LD50	>5000 mg/kg	Rat (OECD 401 )	ECHA Dossier
	dermal	LD50	>2000 mg/kg	Rabbit (OECD 402 )	ECHA Dossier
36878-20-3	Bis(nonylphenyl)amine				
	oral	LD50	>5000 mg/kg	Rat	ECHA Dossier
2215-35-2	zinc O,O',O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)				
	oral	LD50	2230 mg/kg	Rat	ECHA Dossier
	dermal	LD50	>25000 mg/kg	Rabbit	ECHA Dossier
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zins salts				
	oral	LD50	3100 mg/kg	Rat (OECD 401 )	ECHA Dossier
	dermal	LD50	>2000 mg/kg	Rabbit (OECD 402 )	ECHA Dossier
121158-58-5	Phenol, dodecyl-, branched				
	oral	LD50	2100 mg/kg	Rat (OECD 401)	ECHA Dossier
	dermal	LD50	15000 mg/kg	Rabbit (OECD 402)	ECHA Dossier
122-39-4	diphenylamine				
	oral	LD50	>800 mg/kg	Rat.	ECHA Dossier
	dermal	ATE	300 mg/kg		
	inhalative vapour	ATE	3 mg/l		
	inhalative aerosol	ATE	0,5 mg/l		
91273-04-0	N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine				
	oral	LD50	2238 mg/kg	Rat (OECD 401)	ECHA Dossier
	dermal	LD50	>2000 mg/kg	Rabbit (OECD 402)	ECHA Dossier

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zins salts:

Specific concentration limit (SCL):

>=6,25% (Skin Irrit. 2)

> 12,5 % (Eye Dam. 1)

> 10% (Eye Irrit. 2)

#### Sensitising effects

Based on available data, the classification criteria are not met.

May cause sensitisation especially in sensitive humans.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### Severe effects after repeated or prolonged exposure



**Mabanol Xenon Alpha C4 5W-30**

Based on available data, the classification criteria are not met.

Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic:

Subacute inhalative toxicity:

Method: -

Exposure time: 28d

Species: Rat

Results: NOAEL >980 mg/m<sup>3</sup>

literature information: ECHA Dossier

Subacute dermal toxicity :

Method: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)

Exposure time: 28d

Species: Rabbit

Results: 1000 mg/kg

literature information: ECHA Dossier

Bis(nonylphenyl)amine:

Subchronic oral toxicity:

Exposure time: 90d

Species: Han Wistar Rat.

Method: OECD Guideline 408

Result: LOAEL = 100 mg/kg

literature information: ECHA Dossier

Phenol, dodecyl-, branched:

Subchronic oral toxicity:

Exposure time: 90d

Method: OECD Guideline 408

Species: Rat

Results: NOAEL = 100 mg/kg

Subacute oral toxicity :

Exposure time: 28d

Method: OECD Guideline 407

Species: Rat

Results: NOAEL = 60 mg/kg

literature information: ECHA Dossier

diphenylamine:

Subchronic oral toxicity:

Method: OECD Guideline 452 (Chronic Toxicity Studies), Species: Rat.

Length of test: 150d

Result: NOAEL = 3 mg/kg.

literature information: Toxicology And Applied Pharmacology 10, 362-374

N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine:

Subacute oral toxicity :

Method: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)

Exposure time: 28d

species: Rat

Results: NOEL = 60 mg/kg

literature information: ECHA Dossier

**Carcinogenic/mutagenic/toxic effects for reproduction**

**Mabanol Xenon Alpha C4 5W-30**

Based on available data, the classification criteria are not met.

Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic:

Method: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

Species: Mouse.

Results: Non-carcinogenic if DMSO extract as measured by IP346 is less than 3% m/m.

literature information: ECHA Dossier

Reproductive toxicity:

Species: Rat (Sprague-Dawley)

Method: OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)

Results: NOAEL > 1000 mg/kg

literature information: ECHA Dossier

Developmental toxicity/teratogenicity:

Species: Rat (Sprague-Dawley)

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)

Results: NOAEL >= 2000 mg/kg

literature information: ECHA Dossier

Bis(nonylphenyl)amine:

Developmental toxicity/teratogenicity:

Species: Rat (Wistar)

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)

Results: NOAEL >= 500 mg/kg

literature information: ECHA Dossier

zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate):

In vitro mutagenicity/genotoxicity:

Method: In vitro Mammalian Cell Gene Mutation Test

Result: positive.

Method: AMES Test

Result: negative.

literature information: ECHA dossier

In vivo mutagenicity/genotoxicity:

Method: Mammalian Erythrocyte Micronucleus Test

Result: negative.

literature information: ECHA dossier

Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zins salts:

In vitro mutagenicity/genotoxicity: Ames test negative. F160

Phenol, dodecyl-, branched:

In vitro mutagenicity/genotoxicity:

-OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

-OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Results: negative.

literature information: ECHA dossier

Developmental toxicity/teratogenicity:

Species: Rat

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)

Results: NOAEL 100 mg/kg

literature information: ECHA Dossier

Reproductive toxicity:

Species: Sprague-Dawley Rat

**Mabanol Xenon Alpha C4 5W-30**

Method: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study)

diphenylamine:

In vitro mutagenicity/genotoxicity:

Method: OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Results: negative (without metabolic activation). positive (with metabolic activation).

Method: OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Results: negative.

Results: OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)

Results: negative (without metabolic activation). positive (with metabolic activation).

In vivo mutagenicity/genotoxicity:

Method:

-OECD Guideline 486 (Unscheduled DNA Synthesis (UDS) Test with Mammalian Liver Cells in vivo)

-OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Results: negative.

literature information: ECHA Dossier

Carcinogenicity (OECD Guideline 453) = negative.

literature information: ECHA Dossier

N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine:

In vitro mutagenicity/genotoxicity:

-OECD Guideline 471 (Bacterial Reverse Mutation Assay)

-OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

Result: negative.

literature information: ECHA Dossier

In vivo mutagenicity/genotoxicity:

Method: OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

species: Hamster

Results: negative.

literature information: ECHA Dossier

Reproductive toxicity: :

Exposure route: oral.

Species: Wistar Rat.

Method: OECD Guideline 421

Result: NOAEL= 100 mg/kg

literature information: ECHA Dossier

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Practical experience**

**Other observations**

Frequent contact specially if dried out may cause skin and eye irritations.

**SECTION 12: Ecological information**

**12.1. Toxicity**

### Mabanol Xenon Alpha C4 5W-30

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h]   [d]	Species	Source
64742-54-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic					
	Crustacea toxicity	NOEC	10 mg/l	21 d	Daphnia magna (OECD 211)	ECHA Dossier
36878-20-3	Bis(nonylphenyl)amine					
	Acute fish toxicity	LC50	>100 mg/l	96 h	Brachydanio rerio (new name: Danio rerio) (OECD 20)	ECHA Dossier
	Acute crustacea toxicity	EC50	>100 mg/l	48 h	Daphnia magna (OECD 202)	ECHA Dossier
2215-35-2	zinc O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)					
	Acute fish toxicity	LC50 mg/l	LL50: 4,5	96 h	Oncorhynchus mykiss (OECD 203)	ECHA Dossier
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zins salts					
	Acute fish toxicity	LC50 mg/l	LL50: 4,5	96 h	Oncorhynchus mykiss (OECD 203)	ECHA Dossier
121158-58-5	Phenol, dodecyl-, branched					
	Acute fish toxicity	LC50 mg/l	EL 50 = 40	96 h	Pimephales promelas	ECHA Dossier
	Acute algae toxicity	ErC50	0,36 mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier
	Crustacea toxicity	NOEC	0,0037 mg/l	21 d	daphnia magna (OECD 211)	ECHA Dossier
122-39-4	diphenylamine					
	Acute crustacea toxicity	EC50	2 mg/l	48 h	Daphnia magna	ECHA Dossier
91273-04-0	N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine					
	Acute fish toxicity	LC50	1,1 mg/l	96 h	Brachydanio rerio (OECD 203)	ECHA Dossier
	Acute algae toxicity	ErC50	3,48 mg/l	72 h	Desmodesmus subspicatus (OECD 201)	ECHA Dossier
	Acute crustacea toxicity	EC50	5,8 mg/l	48 h	Daphnia pulex (OECD 202)	ECHA Dossier

#### 12.2. Persistence and degradability

The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

**Mabanol Xenon Alpha C4 5W-30**

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
64742-54-7	Baseoil - unspecified, Distillates (petroleum), hydrotreated heavy paraffinic				
	OECD 301F / ISO 9408 / EEC 92/69 annex V, C.4-D	31%	28	ECHA Dossier	
	Not easily bio-degradable (according to OECD-criteria).				
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	2-4	28	ECHA Dossier	
	Not easily bio-degradable (according to OECD-criteria).				
36878-20-3	Bis(nonylphenyl)amine				
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	1%	28	ECHA Dossier	
	Product is not easily biodegradable.				
2215-35-2	zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)				
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	1,5 %	28	ECHA Dossier	
	Product is not easily biodegradable.				
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zins salts				
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	1,5 %	28	ECHA Dossier	
	Product is not easily biodegradable.				
121158-58-5	Phenol, dodecyl-, branched				
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	25%	28	ECHA Dossier	
	Product is not easily biodegradable.				
122-39-4	diphenylamine				
	OECD 301D / EEC 92/69 annex V, C.4-E	26%	28	ECHA Dossier	
	Not easily bio-degradable (according to OECD-criteria).				
91273-04-0	N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine				
	OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C	9 %	28	ECHA Dossier	
	Product is not easily biodegradable.				

**12.3. Bioaccumulative potential**

No indication of bioaccumulation potential.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
2215-35-2	zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate)	2,21
84605-29-8	Phosphorodithionic acid, mixed O,O-bis (1,3-dimethylbutyl and iso-Pr)esters, zins salts	0,56
121158-58-5	Phenol, dodecyl-, branched	7,1
122-39-4	diphenylamine	3,8

**BCF**

CAS No	Chemical name	BCF	Species	Source
121158-58-5	Phenol, dodecyl-, branched	2,9		

**12.4. Mobility in soil**

No information available.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Other adverse effects**

No information available.

**SECTION 13: Disposal considerations**
**13.1. Waste treatment methods**

**Advice on disposal**

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**Waste disposal number of contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances  
Classified as hazardous waste.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

**Inland waterways transport (ADN)**

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)**

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

**Air transport (ICAO)**

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**14.6. Special precautions for user**

Informations for safe handling see chapter 7.  
Informations for personal protective equipment see chapter 8.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

not relevant

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

EU regulatory information

**Mabanol Xenon Alpha C4 5W-30**

2010/75/EU (VOC): No information available.

2004/42/EC (VOC): No information available.

**Additional information**

Not subject to 96/82/EC

Observe in addition any national regulations!

**National regulatory information**

Water contaminating class (D): 2 - water contaminating

**Additional information**

none

**15.2 Chemical Safety Assessment**

not applicable.

**SECTION 16: Other information**

**Changes**

Rev. : 1,0 - 08.05.2015

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service

DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect level

NTP: National Toxicology Program

N/A: not applicable

OSHA: Concerning the International Transport of Dangerous Goods by Rail )

PNEC: predicted no effect concentration

PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern

TRGS Technische Regeln für Gefahrstoffe

TSCA: Toxic Substances Control Act

VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

**Relevant R-phrases (Number and full text)**

23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

33 Danger of cumulative effects.

- 34 Causes burns.
- 36/38 Irritating to eyes and skin.
- 38 Irritating to skin.
- 41 Risk of serious damage to eyes.
- 43 May cause sensitisation by skin contact.
- 50 Very toxic to aquatic organisms.
- 51 Toxic to aquatic organisms.
- 53 May cause long-term adverse effects in the aquatic environment.
- 62 Possible risk of impaired fertility.
- 65 Harmful: may cause lung damage if swallowed.

**Relevant H- and EUH-phrases (Number and full text)**

- H301 Toxic if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H361 Suspected of damaging fertility or the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.
- EUH208 Contains N,N-bis(2-ethylhexyl)-((1,2,4-triazol-1-yl)methyl)amine. May produce an allergic reaction.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*